Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

1/8



Fig. 1

(Prior Art)

Instructions to the illustrator

* remove background please

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**



Fig. 2

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

318



Fig.3

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

4 | 8



Fig. 4

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

518



Fig. 5

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

6/8



Fig. 6

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

718



Fig. 7

Appln. No. To Be Assigned: Filed November 13, 2003;
Dkt. No. 1875.3700001; Group Art Unit: To Be Assigned
Inventor: GREENFIELD *et al.*; Tel. No. (202) 371-2600;
Title: **Apparatus and Method for Latency Control In a Communications System**

818



Fig. 8